

Project ID	Monitoring Location ID	Activity ID	Activity Type	Activity Media Name	Activity Start Date	Activity Start Time	Activity Start Time Zone	Sample Collection Method ID	Sample Collection Equipment Name	Collection Equipment Cc	Characteristic Name
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Probe/Sensor		Temperature, water
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Probe/Sensor		pH
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Probe/Sensor		Dissolved oxygen (DO)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Probe/Sensor		Conductivity
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Probe/Sensor		Turbidity
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Chloride
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Perchlorate
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Ammonia, as N
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Nitrate, as N
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Nitrite, as N
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	TKN
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Ortho-Phosphate
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Phosphorus
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Antimony (Sb)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Arsenic (As)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Barium (Ba)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Beryllium (Be)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Cadmium (Cd)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Chromium (Cr)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Cobalt (Co)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Copper (Cu)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Lead (Pb)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Mercury(Hg)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Molybdenum (Mo)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Nickel (Ni)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Selenium (Se)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Silver (Ag)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Thallium (Tl)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Vanadium (V)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Zinc (Zn)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	E.coli (MPN/100MI)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Acetone
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Benzene
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Bromobenzene
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Bromochloromethane
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Bromodichloromethane
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Bromoform
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Bromomethane
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	2-Butanone (MEK)
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	n-Butylbenzene
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	sec-Butylbenzene
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	tert-Butylbenzene
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Carbon Disulfide
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Carbon Tetrachloride
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Chlorobenzene
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Chloroethane
CBMI_MONITORING FY2011	CRRP-4	CRRP04032712	Field Msr/Obs	Water	2012-03-27	9:45am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles	Chloroform

[illegible]

[illegible]

[illegible]

Result Detection
Quantitation
Limit Unit

Result Comment

mg/l
mg/l
mg/l

MPN/100ml